




Layer	Stack up	Description	Base Thickness	Finish Thickness	Type	Supplier	Supplier Description	Notes-1
		Liquid Photolmageable Mask			SolderMask	Polar Samples	SM/001	
1		Copper Foil	18.000	36.000	Copper	Polar Samples	FO/001	
		1080	78.740	78.740	Dielectric	Elite	EM-827B 1080	
		1080	78.740	78.740	Dielectric	Elite	EM-827B 1080	
2		1500 x 1	33.020	33.020	FR-4	Elite	EM-827 1500 x 1	
		1500 x 1	152.400	152.400	FR-4	Elite	EM-827 1500 x 1	
		1080	78.740	78.740	Dielectric	Elite	EM-827B 1080	
		1080	78.740	78.740	Dielectric	Elite	EM-827B 1080	
4		1500 x 1	33.020	33.020	FR-4	Elite	EM-827 1500 x 1	
		1500 x 1	152.400	152.400	FR-4	Elite	EM-827 1500 x 1	
		1080	78.740	78.740	Dielectric	Elite	EM-827B 1080	
		1080	78.740	78.740	Dielectric	Elite	EM-827B 1080	
6		1500 x 1	33.020	33.020	FR-4	Elite	EM-827 1500 x 1	
		1500 x 1	152.400	152.400	FR-4	Elite	EM-827 1500 x 1	
		1080	78.740	78.740	Dielectric	Elite	EM-827B 1080	
		1080	78.740	78.740	Dielectric	Elite	EM-827B 1080	
8		1500 x 1	33.020	33.020	FR-4	Elite	EM-827 1500 x 1	
		1500 x 1	152.400	152.400	FR-4	Elite	EM-827 1500 x 1	
		1080	78.740	78.740	Dielectric	Elite	EM-827B 1080	
		1080	78.740	78.740	Dielectric	Elite	EM-827B 1080	
10		Copper Foil	18.000	36.000	Copper	Polar Samples	FO/001	
		Liquid Photolmageable Mask			SolderMask	Polar Samples	SM/001	



Notes

StackName: Master	Version:	Revision:	Modification:	Date of Revision:	Editor	Page 1/1	
Date:	Associated Documents:						
Author:							
Department:							
Site:							