



Layer	Stack up	Description	Base Thickness	Finish Thickness	Type	Supplier	Supplier Description	Notes-1
		Liquid Photolmageable Mask			SolderMask	Polar Samples	SM/001	
1		Copper Foil	18.000	18.000	Copper	Polar Samples	FO/001	
		2113	101.600	101.600	Dielectric	Elite	EM-827B 2113	
		2113	101.600	101.600	Dielectric	Elite	EM-827B 2113	
2		7628 x 2	33.020	33.020	FR-4	Elite	EM-827 7628 x 2	
3		7628 x 2	406.400	406.400	FR-4	Elite	EM-827 7628 x 2	
		7628 x 2	33.020	33.020	FR-4	Elite	EM-827 7628 x 2	
		2113	101.600	101.600	Dielectric	Elite	EM-827B 2113	
		2113	101.600	101.600	Dielectric	Elite	EM-827B 2113	
4		7628 x 2	33.020	33.020	FR-4	Elite	EM-827 7628 x 2	
5		7628 x 2	406.400	406.400	FR-4	Elite	EM-827 7628 x 2	
		7628 x 2	33.020	33.020	FR-4	Elite	EM-827 7628 x 2	
		2113	101.600	101.600	Dielectric	Elite	EM-827B 2113	
		2113	101.600	101.600	Dielectric	Elite	EM-827B 2113	
6		Copper Foil	18.000	18.000	Copper	Polar Samples	FO/001	
		Liquid Photolmageable Mask			SolderMask	Polar Samples	SM/001	

1600.00 +160.00 / -160.00

Notes

StackName: Master	Version:	Revision:	Modification:	Date of Revision:	Editor	Page 1/1	
Date:	Associated Documents:						
Author:							
Department:							
Site:							